Age at Diagnosis * Sex Crosstabulation^a

			Se	∋x	
			Male	Female	Total
Age at	13-19	Count	1	5	6
Diagnosis		% within Sex	1.8%	16.7%	7.1%
	20-24	Count	8	6	14
		% within Sex	14.5%	20.0%	16.5%
	25-29	Count	5	10	15
		% within Sex	9.1%	33.3%	17.6%
	30-39	Count	25	4	29
		% within Sex	45.5%	13.3%	34.1%
	40-49	Count	11	4	15
		% within Sex	20.0%	13.3%	17.6%
	50-59	Count	5		5
		% within Sex	9.1%		5.9%
	60-69	Count		1	1
		% within Sex		3.3%	1.2%
Total		Count	55	30	85
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

			Se	Sex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	23	9	32
		% within Sex	41.8%	30.0%	37.6%
	African American	Count	28	19	47
		% within Sex	50.9%	63.3%	55.3%
	Hispanic	Count	2	2	4
		% within Sex	3.6%	6.7%	4.7%
	Asian-Pacific Islander	Count	1		1
		% within Sex	1.8%		1.2%
	Not Specified	Count	1		1
		% within Sex	1.8%		1.2%
Total		Count	55	30	85
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

HIV Infection Cases Reported during 2002 (from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	24		24
Exposure		% within Sex	43.6%		28.2%
	IDU	Count	3	4	7
		% within Sex	5.5%	13.3%	8.2%
	M-M & IDU	Count	3		3
		% within Sex	5.5%		3.5%
	Heterosexual Contact	Count	12	13	25
		% within Sex	21.8%	43.3%	29.4%
	Not Classified	Count	13	13	26
		% within Sex	23.6%	43.3%	30.6%
Total		Count	55	30	85
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

			Adult-Ped	
			Adult/Adol	
			escent	Total
Race-Ethnicity	White Non-Hispanic	Count	32	32
		% within Adult-Ped	37.6%	37.6%
	African American	Count	47	47
		% within Adult-Ped	55.3%	55.3%
	Hispanic	Count	4	4
		% within Adult-Ped	4.7%	4.7%
	Asian-Pacific Islander	Count	1	1
		% within Adult-Ped	1.2%	1.2%
	Not Specified	Count	1	1
		% within Adult-Ped	1.2%	1.2%
Total		Count	85	85
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Tyler

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	
			Adult/Adol	
			escent	Total
Sex	Male	Count	55	55
		% within Adult-Ped	64.7%	64.7%
	Female	Count	30	30
		% within Adult-Ped	35.3%	35.3%
Total		Count	85	85
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Tyler

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	1		1
Diagnosis		% within Sex	1.8%		1.2%
	13-19	Count		5	5
		% within Sex		17.2%	6.0%
	20-24	Count	12	7	19
		% within Sex	21.8%	24.1%	22.6%
	25-29	Count	7	5	12
		% within Sex	12.7%	17.2%	14.3%
	30-39	Count	22	8	30
		% within Sex	40.0%	27.6%	35.7%
	40-49	Count	8	2	10
		% within Sex	14.5%	6.9%	11.9%
	50-59	Count	1	1	2
		% within Sex	1.8%	3.4%	2.4%
	60-69	Count	4		4
		% within Sex	7.3%		4.8%
	70+	Count		1	1
		% within Sex		3.4%	1.2%
Total		Count	55	29	84
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	27	12	39
		% within Sex	49.1%	41.4%	46.4%
	African American	Count	23	15	38
		% within Sex	41.8%	51.7%	45.2%
	Hispanic	Count	4	1	5
		% within Sex	7.3%	3.4%	6.0%
	Not Specified	Count	1	1	2
		% within Sex	1.8%	3.4%	2.4%
Total		Count	55	29	84
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

HIV Infection Cases Reported during 2001 (from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	24		24
Exposure		% within Sex	43.6%		28.6%
	IDU	Count	5	9	14
		% within Sex	9.1%	31.0%	16.7%
	M-M & IDU	Count	5		5
		% within Sex	9.1%		6.0%
	Heterosexual Contact	Count	8	10	18
		% within Sex	14.5%	34.5%	21.4%
	Transfusion	Count	1		1
		% within Sex	1.8%		1.2%
	Not Classified	Count	11	10	21
		% within Sex	20.0%	34.5%	25.0%
	Ped Parent at Risk	Count	1		1
		% within Sex	1.8%		1.2%
Total	_	Count	55	29	84
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

			Adult-Ped		
				Adult/Adol	
			Pediatric	escent	Total
Race-Ethnicity	White Non-Hispanic	Count	1	38	39
		% within Adult-Ped	100.0%	45.8%	46.4%
	African American	Count		38	38
		% within Adult-Ped		45.8%	45.2%
	Hispanic	Count		5	5
		% within Adult-Ped		6.0%	6.0%
	Not Specified	Count		2	2
		% within Adult-Ped		2.4%	2.4%
Total		Count	1	83	84
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Tyler

HIV Infection Cases Reported during 2001 (from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult	t-Ped	
			Pediatric	Adult/Adol escent	Total
Sex	Male	Count	1	54	55
		% within Adult-Ped	100.0%	65.1%	65.5%
	Female	Count		29	29
		% within Adult-Ped		34.9%	34.5%
Total		Count	1	83	84
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Tyler

Age at Diagnosis * Sex Crosstabulation^a

			Se	ЭX	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	6		6
Diagnosis		% within Sex	3.0%		1.9%
	1 (12-23 mo)	Count		1	1
		% within Sex		.9%	.3%
	2-4	Count	1		1
		% within Sex	.5%		.3%
	5-12	Count	1		1
		% within Sex	.5%		.3%
	13-19	Count	4	20	24
		% within Sex	2.0%	17.2%	7.6%
	20-24	Count	26	30	56
		% within Sex	13.0%	25.9%	17.7%
	25-29	Count	26	21	47
		% within Sex	13.0%	18.1%	14.9%
	30-39	Count	85	27	112
		% within Sex	42.5%	23.3%	35.4%
	40-49	Count	32	12	44
		% within Sex	16.0%	10.3%	13.9%
	50-59	Count	13	3	16
		% within Sex	6.5%	2.6%	5.1%
	60-69	Count	6	1	7
		% within Sex	3.0%	.9%	2.2%
	70+	Count		1	1
		% within Sex		.9%	.3%
Total		Count	200	116	316
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

Cumulative Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	103	45	148
		% within Sex	51.5%	38.8%	46.8%
	African American	Count	82	67	149
		% within Sex	41.0%	57.8%	47.2%
	Hispanic	Count	12	3	15
		% within Sex	6.0%	2.6%	4.7%
	Asian-Pacific Islander	Count	1		1
		% within Sex	.5%		.3%
	Not Specified	Count	2	1	3
		% within Sex	1.0%	.9%	.9%
Total		Count	200	116	316
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

Mode of Exposure * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	86		86
Exposure		% within Sex	43.0%		27.2%
	IDU	Count	16	25	41
		% within Sex	8.0%	21.6%	13.0%
	M-M & IDU	Count	26		26
		% within Sex	13.0%		8.2%
	Heterosexual Contact	Count	25	44	69
		% within Sex	12.5%	37.9%	21.8%
	Transfusion	Count	2		2
		% within Sex	1.0%		.6%
	Not Classified	Count	37	46	83
		% within Sex	18.5%	39.7%	26.3%
	Ped Parent at Risk	Count	8	1	9
		% within Sex	4.0%	.9%	2.8%
Total		Count	200	116	316
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

Cumulative Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

			Adult	:-Ped	
				Adult/Adol	
			Pediatric	escent	Total
Race-Ethnicity	White Non-Hispanic	Count	5	143	148
		% within Adult-Ped	55.6%	46.6%	46.8%
	African American	Count	3	146	149
		% within Adult-Ped	33.3%	47.6%	47.2%
	Hispanic	Count	1	14	15
		% within Adult-Ped	11.1%	4.6%	4.7%
	Asian-Pacific Islander	Count		1	1
		% within Adult-Ped		.3%	.3%
	Not Specified	Count		3	3
		% within Adult-Ped		1.0%	.9%
Total		Count	9	307	316
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Tyler

Sex * Adult-Ped Crosstabulation^a

			Adult	t-Ped	
			Pediatric	Adult/Adol escent	Total
Sex	Male	Count	8	192	200
		% within Adult-Ped	88.9%	62.5%	63.3%
	Female	Count	1	115	116
		% within Adult-Ped	11.1%	37.5%	36.7%
Total		Count	9	307	316
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Tyler

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	5		5
Diagnosis		% within Sex	2.6%		1.6%
	1 (12-23 mo)	Count		1	1
		% within Sex		.9%	.3%
	2-4	Count	1		1
		% within Sex	.5%		.3%
	5-12	Count	1		1
		% within Sex	.5%		.3%
	13-19	Count	4	19	23
		% within Sex	2.0%	16.7%	7.4%
	20-24	Count	26	30	56
		% within Sex	13.3%	26.3%	18.1%
	25-29	Count	26	21	47
		% within Sex	13.3%	18.4%	15.2%
	30-39	Count	84	27	111
		% within Sex	42.9%	23.7%	35.8%
	40-49	Count	32	11	43
		% within Sex	16.3%	9.6%	13.9%
	50-59	Count	12	3	15
		% within Sex	6.1%	2.6%	4.8%
	60-69	Count	5	1	6
		% within Sex	2.6%	.9%	1.9%
	70+	Count		1	1
		% within Sex		.9%	.3%
Total		Count	196	114	310
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

Living Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	1 (12-23 mo)	Count	1		1
Age		% within Sex	.5%		.3%
	2-4	Count	4	1	5
		% within Sex	2.0%	.9%	1.6%
	5-12	Count	2		2
		% within Sex	1.0%		.6%
	13-19	Count		3	3
		% within Sex		2.6%	1.0%
	20-24	Count	16	27	43
		% within Sex	8.2%	23.7%	13.9%
	25-29	Count	16	24	40
		% within Sex	8.2%	21.1%	12.9%
	30-39	Count	67	34	101
		% within Sex	34.2%	29.8%	32.6%
	40-49	Count	67	17	84
		% within Sex	34.2%	14.9%	27.1%
	50-59	Count	15	6	21
		% within Sex	7.7%	5.3%	6.8%
	60-69	Count	8	1	9
		% within Sex	4.1%	.9%	2.9%
	70+	Count		1	1
		% within Sex		.9%	.3%
Total		Count	196	114	310
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

Race-Ethnicity * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	101	44	145
		% within Sex	51.5%	38.6%	46.8%
	African American	Count	80	66	146
		% within Sex	40.8%	57.9%	47.1%
	Hispanic	Count	12	3	15
		% within Sex	6.1%	2.6%	4.8%
	Asian-Pacific Islander	Count	1		1
		% within Sex	.5%		.3%
	Not Specified	Count	2	1	3
		% within Sex	1.0%	.9%	1.0%
Total		Count	196	114	310
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

Living Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	86		86
Exposure		% within Sex	43.9%		27.7%
	IDU	Count	15	24	39
		% within Sex	7.7%	21.1%	12.6%
	M-M & IDU	Count	24		24
		% within Sex	12.2%		7.7%
	Heterosexual Contact	Count	25	43	68
		% within Sex	12.8%	37.7%	21.9%
	Transfusion	Count	2		2
		% within Sex	1.0%		.6%
	Not Classified	Count	37	46	83
		% within Sex	18.9%	40.4%	26.8%
	Ped Parent at Risk	Count	7	1	8
		% within Sex	3.6%	.9%	2.6%
Total		Count	196	114	310
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

			Adult-Ped		
				Adult/Adol	
			Pediatric	escent	Total
Race-Ethnicity	White Non-Hispanic	Count	5	140	145
		% within Adult-Ped	62.5%	46.4%	46.8%
	African American	Count	2	144	146
		% within Adult-Ped	25.0%	47.7%	47.1%
	Hispanic	Count	1	14	15
		% within Adult-Ped	12.5%	4.6%	4.8%
	Asian-Pacific Islander	Count		1	1
		% within Adult-Ped		.3%	.3%
	Not Specified	Count		3	3
		% within Adult-Ped		1.0%	1.0%
Total		Count	8	302	310
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Tyler

Living Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult	t-Ped	
			Pediatric	Adult/Adol escent	Total
Sex	Male	Count	7	189	196
		% within Adult-Ped	87.5%	62.6%	63.2%
	Female	Count	1	113	114
		% within Adult-Ped	12.5%	37.4%	36.8%
Total		Count	8	302	310
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Tyler

Age at Diagnosis * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Age at	20-24	Count		7	7
Diagnosis		% within Sex		50.0%	10.8%
	25-29	Count	7	3	10
		% within Sex	13.7%	21.4%	15.4%
	30-39	Count	23	2	25
		% within Sex	45.1%	14.3%	38.5%
	40-49	Count	18	2	20
		% within Sex	35.3%	14.3%	30.8%
	50-59	Count	3		3
		% within Sex	5.9%		4.6%
Total		Count	51	14	65
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

Race-Ethnicity * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	27	4	31
		% within Sex	52.9%	28.6%	47.7%
	African American	Count	17	10	27
		% within Sex	33.3%	71.4%	41.5%
	Hispanic	Count	7		7
		% within Sex	13.7%		10.8%
Total		Count	51	14	65
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

AIDS Cases Reported during 2002 (from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	24		24
Exposure		% within Sex	47.1%		36.9%
	IDU	Count	6	1	7
		% within Sex	11.8%	7.1%	10.8%
	M-M & IDU	Count	7		7
		% within Sex	13.7%		10.8%
	Heterosexual Contact	Count	1	9	10
		% within Sex	2.0%	64.3%	15.4%
	Transfusion	Count	1		1
		% within Sex	2.0%		1.5%
	Not Classified	Count	12	4	16
		% within Sex	23.5%	28.6%	24.6%
Total		Count	51	14	65
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

			Adult-Ped	
			Adult/Adol	
			escent	Total
Race-Ethnicity	White Non-Hispanic	Count	31	31
		% within Adult-Ped	47.7%	47.7%
	African American	Count	27	27
		% within Adult-Ped	41.5%	41.5%
	Hispanic	Count	7	7
		% within Adult-Ped	10.8%	10.8%
Total		Count	65	65
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Tyler

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	
			Adult/Adol	
			escent	Total
Sex	Male	Count	51	51
		% within Adult-Ped	78.5%	78.5%
	Female	Count	14	14
		% within Adult-Ped	21.5%	21.5%
Total		Count	65	65
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Tyler

Age at Diagnosis * Sex Crosstabulation^a

			Se	∋x	
			Male	Female	Total
Age at	13-19	Count		1	1
Diagnosis		% within Sex		6.7%	1.6%
	20-24	Count		1	1
		% within Sex		6.7%	1.6%
	25-29	Count	6		6
		% within Sex	12.5%		9.5%
	30-39	Count	22	4	26
		% within Sex	45.8%	26.7%	41.3%
	40-49	Count	17	8	25
		% within Sex	35.4%	53.3%	39.7%
	50-59	Count	1	1	2
		% within Sex	2.1%	6.7%	3.2%
	70+	Count	2		2
		% within Sex	4.2%		3.2%
Total		Count	48	15	63
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	25	6	31
		% within Sex	52.1%	40.0%	49.2%
	African American	Count	21	8	29
		% within Sex	43.8%	53.3%	46.0%
	Hispanic	Count	2	1	3
		% within Sex	4.2%	6.7%	4.8%
Total		Count	48	15	63
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

AIDS Cases Reported during 2001 (from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	15		15
Exposure		% within Sex	31.3%		23.8%
	IDU	Count	7	3	10
		% within Sex	14.6%	20.0%	15.9%
	M-M & IDU	Count	9		9
		% within Sex	18.8%		14.3%
	Heterosexual Contact	Count	5	3	8
		% within Sex	10.4%	20.0%	12.7%
	Transfusion	Count	1	1	2
		% within Sex	2.1%	6.7%	3.2%
	Not Classified	Count	11	8	19
		% within Sex	22.9%	53.3%	30.2%
Total		Count	48	15	63
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

			Adult-Ped	
			Adult/Adol	
			escent	Total
Race-Ethnicity	White Non-Hispanic	Count	31	31
		% within Adult-Ped	49.2%	49.2%
	African American	Count	29	29
		% within Adult-Ped	46.0%	46.0%
	Hispanic	Count	3	3
		% within Adult-Ped	4.8%	4.8%
Total		Count	63	63
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Tyler

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	
			Adult/Adol	
			escent	Total
Sex	Male	Count	48	48
		% within Adult-Ped	76.2%	76.2%
	Female	Count	15	15
		% within Adult-Ped	23.8%	23.8%
Total		Count	63	63
		% within Adult-Ped	100.0%	100.0%

a. HSDA = Tyler

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	1 (12-23 mo)	Count		2	2
Diagnosis		% within Sex		1.4%	.2%
	5-12	Count	1	1	2
		% within Sex	.1%	.7%	.2%
	13-19	Count	3	8	11
		% within Sex	.4%	5.6%	1.3%
	20-24	Count	25	24	49
		% within Sex	3.4%	16.7%	5.6%
	25-29	Count	116	25	141
		% within Sex	15.8%	17.4%	16.1%
	30-39	Count	354	48	402
		% within Sex	48.4%	33.3%	45.9%
	40-49	Count	162	28	190
		% within Sex	22.1%	19.4%	21.7%
	50-59	Count	48	6	54
		% within Sex	6.6%	4.2%	6.2%
	60-69	Count	19	2	21
		% within Sex	2.6%	1.4%	2.4%
	70+	Count	4		4
		% within Sex	.5%		.5%
Total		Count	732	144	876
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	476	64	540
		% within Sex	65.0%	44.4%	61.6%
	African American	Count	215	77	292
		% within Sex	29.4%	53.5%	33.3%
	Hispanic	Count	41	3	44
		% within Sex	5.6%	2.1%	5.0%
Total		Count	732	144	876
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

Cumulative Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	413		413
Exposure		% within Sex	56.4%		47.1%
	IDU	Count	77	48	125
		% within Sex	10.5%	33.3%	14.3%
	M-M & IDU	Count	122		122
		% within Sex	16.7%		13.9%
	Hemophiliac	Count	4		4
		% within Sex	.5%		.5%
	Heterosexual Contact	Count	27	53	80
		% within Sex	3.7%	36.8%	9.1%
	Transfusion	Count	16	4	20
		% within Sex	2.2%	2.8%	2.3%
	Not Classified	Count	71	35	106
		% within Sex	9.7%	24.3%	12.1%
	Ped Hemophiliac	Count	1		1
		% within Sex	.1%		.1%
	Ped Parent at Risk	Count	1	3	4
		% within Sex	.1%	2.1%	.5%
	Ped Transfusion	Count		1	1
		% within Sex		.7%	.1%
Total		Count	732	144	876
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

			Adult-Ped		
				Adult/Adol	
			Pediatric	escent	Total
Race-Ethnicity	White Non-Hispanic	Count	1	539	540
		% within Adult-Ped	25.0%	61.8%	61.6%
	African American	Count	3	289	292
		% within Adult-Ped	75.0%	33.1%	33.3%
	Hispanic	Count		44	44
		% within Adult-Ped		5.0%	5.0%
Total		Count	4	872	876
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Tyler

Cumulative Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult	-Ped	
			Pediatric	Adult/Adol escent	Total
Sex	Male	Count	1	731	732
		% within Adult-Ped	25.0%	83.8%	83.6%
	Female	Count	3	141	144
		% within Adult-Ped	75.0%	16.2%	16.4%
Total		Count	4	872	876
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Tyler

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	1 (12-23 mo)	Count		2	2
Diagnosis		% within Sex		2.1%	.4%
	13-19	Count	3	6	9
		% within Sex	.8%	6.3%	1.9%
	20-24	Count	9	19	28
		% within Sex	2.3%	20.0%	5.9%
	25-29	Count	57	16	73
		% within Sex	14.9%	16.8%	15.3%
	30-39	Count	193	28	221
		% within Sex	50.4%	29.5%	46.2%
	40-49	Count	86	20	106
		% within Sex	22.5%	21.1%	22.2%
	50-59	Count	29	4	33
		% within Sex	7.6%	4.2%	6.9%
	60-69	Count	4		4
		% within Sex	1.0%		.8%
	70+	Count	2		2
		% within Sex	.5%		.4%
Total	_	Count	383	95	478
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

Living Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	5-12	Count		1	1
Age		% within Sex		1.1%	.2%
	13-19	Count		2	2
		% within Sex		2.1%	.4%
	20-24	Count		12	12
		% within Sex		12.6%	2.5%
	25-29	Count	17	9	26
		% within Sex	4.4%	9.5%	5.4%
	30-39	Count	152	34	186
		% within Sex	39.7%	35.8%	38.9%
	40-49	Count	142	27	169
		% within Sex	37.1%	28.4%	35.4%
	50-59	Count	53	10	63
		% within Sex	13.8%	10.5%	13.2%
	60-69	Count	15		15
		% within Sex	3.9%		3.1%
	70+	Count	4		4
		% within Sex	1.0%		.8%
Total		Count	383	95	478
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	233	39	272
		% within Sex	60.8%	41.1%	56.9%
	African American	Count	124	55	179
		% within Sex	32.4%	57.9%	37.4%
	Hispanic	Count	26	1	27
		% within Sex	6.8%	1.1%	5.6%
Total		Count	383	95	478
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

Living Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	205		205
Exposure		% within Sex	53.5%		42.9%
	IDU	Count	42	30	72
		% within Sex	11.0%	31.6%	15.1%
	M-M & IDU	Count	69		69
		% within Sex	18.0%		14.4%
	Hemophiliac	Count	3		3
		% within Sex	.8%		.6%
	Heterosexual Contact	Count	19	34	53
		% within Sex	5.0%	35.8%	11.1%
	Transfusion	Count	5	2	7
		% within Sex	1.3%	2.1%	1.5%
	Not Classified	Count	39	27	66
		% within Sex	10.2%	28.4%	13.8%
	Ped Hemophiliac	Count	1		1
		% within Sex	.3%		.2%
	Ped Parent at Risk	Count		2	2
		% within Sex	<u> </u>	2.1%	.4%
Total		Count	383	95	478
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

			Adult	-Ped	
				Adult/Adol	
			Pediatric	escent	Total
Race-Ethnicity	White Non-Hispanic	Count	1	271	272
		% within Adult-Ped	50.0%	56.9%	56.9%
	African American	Count	1	178	179
		% within Adult-Ped	50.0%	37.4%	37.4%
	Hispanic	Count		27	27
		% within Adult-Ped		5.7%	5.6%
Total		Count	2	476	478
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Tyler

Living Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult	-Ped	
			Pediatric	Adult/Adol escent	Total
Sex	Male	Count		383	383
		% within Adult-Ped		80.5%	80.1%
	Female	Count	2	93	95
		% within Adult-Ped	100.0%	19.5%	19.9%
Total		Count	2	476	478
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Tyler

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	5		5
Diagnosis		% within Sex	.9%		.6%
	1 (12-23 mo)	Count		3	3
		% within Sex		1.4%	.4%
	2-4	Count	1		1
		% within Sex	.2%		.1%
	5-12	Count	1		1
		% within Sex	.2%		.1%
	13-19	Count	7	25	32
		% within Sex	1.2%	12.0%	4.1%
	20-24	Count	35	49	84
		% within Sex	6.0%	23.4%	10.7%
	25-29	Count	83	37	120
		% within Sex	14.3%	17.7%	15.2%
	30-39	Count	277	55	332
		% within Sex	47.8%	26.3%	42.1%
	40-49	Count	118	31	149
		% within Sex	20.4%	14.8%	18.9%
	50-59	Count	41	7	48
		% within Sex	7.1%	3.3%	6.1%
	60-69	Count	9	1	10
		% within Sex	1.6%	.5%	1.3%
	70+	Count	2	1	3
		% within Sex	.3%	.5%	.4%
Total		Count	579	209	788
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

Prevalent Reported Cases of HIV/AIDS through 12/31/02 (Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	1 (12-23 mo)	Count	1		1
Age		% within Sex	.2%		.1%
	2-4	Count	4	1	5
		% within Sex	.7%	.5%	.6%
	5-12	Count	2	1	3
		% within Sex	.3%	.5%	.4%
	13-19	Count		5	5
		% within Sex		2.4%	.6%
	20-24	Count	16	39	55
		% within Sex	2.8%	18.7%	7.0%
	25-29	Count	33	33	66
		% within Sex	5.7%	15.8%	8.4%
	30-39	Count	219	68	287
		% within Sex	37.8%	32.5%	36.4%
	40-49	Count	209	44	253
		% within Sex	36.1%	21.1%	32.1%
	50-59	Count	68	16	84
		% within Sex	11.7%	7.7%	10.7%
	60-69	Count	23	1	24
		% within Sex	4.0%	.5%	3.0%
	70+	Count	4	1	5
		% within Sex	.7%	.5%	.6%
Total		Count	579	209	788
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	334	83	417
		% within Sex	57.7%	39.7%	52.9%
	African American	Count	204	121	325
		% within Sex	35.2%	57.9%	41.2%
	Hispanic	Count	38	4	42
		% within Sex	6.6%	1.9%	5.3%
	Asian-Pacific Islander	Count	1		1
		% within Sex	.2%		.1%
	Not Specified	Count	2	1	3
		% within Sex	.3%	.5%	.4%
Total		Count	579	209	788
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

Prevalent Reported Cases of HIV/AIDS through 12/31/02 (Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	291		291
Exposure		% within Sex	50.3%		36.9%
	IDU	Count	57	54	111
		% within Sex	9.8%	25.8%	14.1%
	M-M & IDU	Count	93		93
		% within Sex	16.1%		11.8%
	Hemophiliac	Count	3		3
		% within Sex	.5%		.4%
	Heterosexual Contact	Count	44	77	121
		% within Sex	7.6%	36.8%	15.4%
	Transfusion	Count	7	2	9
		% within Sex	1.2%	1.0%	1.1%
	Not Classified	Count	76	73	149
		% within Sex	13.1%	34.9%	18.9%
	Ped Hemophiliac	Count	1		1
		% within Sex	.2%		.1%
	Ped Parent at Risk	Count	7	3	10
		% within Sex	1.2%	1.4%	1.3%
Total		Count	579	209	788
		% within Sex	100.0%	100.0%	100.0%

a. HSDA = Tyler

			Adult-Ped		
				Adult/Adol	
			Pediatric	escent	Total
Race-Ethnicity	White Non-Hispanic	Count	6	411	417
		% within Adult-Ped	60.0%	52.8%	52.9%
	African American	Count	3	322	325
		% within Adult-Ped	30.0%	41.4%	41.2%
	Hispanic	Count	1	41	42
		% within Adult-Ped	10.0%	5.3%	5.3%
	Asian-Pacific Islander	Count		1	1
		% within Adult-Ped		.1%	.1%
	Not Specified	Count		3	3
		% within Adult-Ped		.4%	.4%
Total		Count	10	778	788
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Tyler

Prevalent Reported Cases of HIV/AIDS through 12/31/02 (Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Sex * Adult-Ped Crosstabulation^a

			Adult	-Ped	
			Pediatric	Adult/Adol escent	Total
Sex	Male	Count	7	572	579
		% within Adult-Ped	70.0%	73.5%	73.5%
	Female	Count	3	206	209
		% within Adult-Ped	30.0%	26.5%	26.5%
Total		Count	10	778	788
		% within Adult-Ped	100.0%	100.0%	100.0%

a. HSDA = Tyler